

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Terms	Documents
L35 or l34	45

Database:

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L36

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History****DATE:** Wednesday, November 12, 2003 [Printable Copy](#) [Create Case](#)**Set Name Query**
side by side**Hit Count Set Name**
result set*DB=USPT; PLUR=YES; OP=ADJ*

<u>L36</u>	L35 or l34	45	<u>L36</u>
<u>L35</u>	l30 or l31 or l32	2	<u>L35</u>
<u>L34</u>	l2 or l3 or l15 or l16 or l19	43	<u>L34</u>
<u>L33</u>	l7 and L29	0	<u>L33</u>
<u>L32</u>	l10 and L29	2	<u>L32</u>
<u>L31</u>	l11 and L29	1	<u>L31</u>
<u>L30</u>	l12 and L29	2	<u>L30</u>
<u>L29</u>	((714/\$)!.CCLS.)	21563	<u>L29</u>

DB=PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L28</u>	L27 and l20	1	<u>L28</u>
<u>L27</u>	((device\$1 near3 detect\$5) near3 test\$5)	1820	<u>L27</u>

<u>L26</u>	L22 and test\$5	8	<u>L26</u>
<u>L25</u>	L23 and test\$5	10	<u>L25</u>
<u>L24</u>	((usb or (universal serial bus\$4)) near3 (port\$5 or control\$5) near4 test\$5)	23	<u>L24</u>
<u>L23</u>	(bulk transfer\$5) same (usb or (universal serial bus\$4))	55	<u>L23</u>
<u>L22</u>	(isochronous transfer\$5) same (usb or (universal serial bus\$4))	60	<u>L22</u>
<u>L21</u>	((voltage level\$1) near3 test\$5) same (usb or (universal serial bus\$4))	1	<u>L21</u>
<u>L20</u>	(test\$5 near3 control\$5) same (usb or (universal serial bus\$4))	30	<u>L20</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L19</u>	((usb or (universal serial bus\$4)) near3 (port\$5 or control\$5) near4 test\$5)	9	<u>L19</u>
<u>L18</u>	(usb or (universal serial bus\$4)) near3 (cable\$1 near4 test\$5)	0	<u>L18</u>
<u>L17</u>	(interrupt transfer\$5) near3 test\$5	0	<u>L17</u>
<u>L16</u>	L11 and test\$5	12	<u>L16</u>
<u>L15</u>	L12 and test\$5	13	<u>L15</u>
<u>L14</u>	L12 same test\$5	0	<u>L14</u>
<u>L13</u>	L12 and L1	0	<u>L13</u>
<u>L12</u>	(bulk transfer\$5) same (usb or (universal serial bus\$4))	42	<u>L12</u>
<u>L11</u>	(isochronous transfer\$5) same (usb or (universal serial bus\$4))	38	<u>L11</u>
<u>L10</u>	(bulk transfer\$5) and (usb or (universal serial bus\$4))	53	<u>L10</u>
<u>L9</u>	((bulk transfer\$5) near3 test\$5) and (usb or (universal serial bus\$4))	0	<u>L9</u>
<u>L8</u>	((bus near3 signal\$1) same (power voltage\$1)) and (usb or (universal serial bus\$4))	1	<u>L8</u>
<u>L7</u>	(frame timing\$1) and (usb or (universal serial bus\$4))	26	<u>L7</u>
<u>L6</u>	L5 and (usb or (universal serial bus\$4))	9	<u>L6</u>
<u>L5</u>	((device\$1 near3 detect\$5) near3 test\$5)	1786	<u>L5</u>
<u>L4</u>	((voltage level\$1) near3 test\$5) saem (usb or (universal serial bus\$4))	0	<u>L4</u>
<u>L3</u>	(test\$5 near3 control\$5) same (usb or (universal serial bus\$4))	21	<u>L3</u>
<u>L2</u>	((usb or (universal serial bus\$4)) near3 (port\$5 or control\$5) near4 test\$5)	9	<u>L2</u>
<u>L1</u>	(usb or (universal serial bus\$4)) near3 test\$5	29	<u>L1</u>

END OF SEARCH HISTORY

CODE SHEET FOR CONTINUING DATA

Line	Code	Serial No.	Filing Date	Status	Document No.	Issue Date
104	68	60/187,317	3/6/2000			
105						
106						
107						
108						
109						
110						
111						
112						
113						
114						
115						
116						
117						

Condition and Status Codes for Continuing Data

CONDITION CODE:

- 71 Continuation of application No.
- 81 which is a continuation of application No.
- 91 and a continuation of application No.

- 72 Continuation-in-part of application No.
- 82 which is a continuation-in-part of application No.
- 75 and a continuation-in-part of application No.

- 74 Division of application No.
- 84 which is a division of application No.
- 76 and a division of application No.

- 86 , said application No.
- 89 Application No.
- 90 and application No.
- 92 each

- 65 filed as application No.
- 66 substitute for application No.
- 68 Provisional application No.

STATUS CODE

- 01 Patent No.
- 03 abandoned
- 04 SIR No.

NOTE I: When the code 86 and 92 are used, they must be followed by 81, 82 or 84 – condition beginning with “which is”

NOTE II: Codes 71, 72 and 74 may be used only on the first line; one of them must be used on the first line in regular continuing data. 66 or 68 may be used on the first line in Substitute or Provisional cases. Remember, however, that if there is a Provisional and other continuing data, the Provisional is always listed last.